




Color Me a Watershed

What might make a watershed blue . . . or brown . . . or green?

■ Grade Level

Middle School, High School

■ Subject Areas

Environmental Science, Math, History/Anthropology

■ Duration

Preparation time: Option 1: 10 minutes; Option 2: 10 minutes; Option 3: 10 minutes

Activity time: Option 1: 40 minutes; Option 2: 50 minutes; Option 3: 40 minutes

■ Setting

Classroom

■ Skills

Gathering information (calculating); Analyzing (comparing); Interpreting (identifying cause and effect)

■ Charting the Course

Prior to this activity, students should have a general understanding of watersheds ("River Talk" and "Seeing Watersheds"). "Blue River" helps students understand how water moves in a watershed. In "Just Passing Through," students compare runoff from different surfaces. In "Color Me a Watershed," students learn how development affects a watershed. "Sum of the Parts" helps students recognize how downstream users are affected by runoff in a watershed.

■ Vocabulary

discharge, watershed, runoff, development, land use, drainage basin, surface water, ground water, Geographic Information Systems (GIS), tributary, floodplain, streamflow, cubic feet per second (cfs), cubic meters per second (cms), erosion, stream sediment load, storm water

▼ Summary

Through interpretation of maps, students observe how development can affect a watershed.

Objectives

Students will:

- recognize that population growth and settlement cause changes in land use.
- analyze how land use variations in a watershed can affect the runoff of water.

Materials

- *Maps and photographs of community, past and present (optional)*
- *Copies of Maps A, B and C* ©

Option 1:

- *Colored pencils*

Options 2 and 3:

- *Calculator*
- *Copies of Charts* ©

Making Connections

Learning about the past refines our current perspectives and helps us plan for the future. Historical, sequential maps provide graphic interpretations of watershed history. By comparing past and current land use practices, students can recognize trends in development; this knowledge can help them appreciate the importance of watershed management.

Background

Resource managers and policymakers use maps to monitor land use changes that could contribute to increased amounts of runoff flowing into a river. Vast amounts of public and private time, energy and money have been invested in research projects designed to collect land use data. Land uses that are monitored include but are not limited to: urban (residential land, parks and businesses); agriculture (pastures and grain, fruit and vegetable production); industry; transportation systems (roads, railroads and trails); and public lands (refuges, parks and monuments).

Land use changes can have a significant impact on a region's water resources. Streams, lakes and other bodies of water collect water drained from the surrounding land area, called a watershed or drainage basin. After periods of precipitation or during snowmelt, surface water is captured by the soil and vegetation, stored in ground water and in plants, and slowly released into the collection site (e.g., a stream).



PHOTO CREDIT: © Photos.com-Getty Images

Snowmelt is captured by the soil and vegetation and slowly released into collection sites such as streams.


Resource managers are developing and using Geographic Information Systems (GIS) to store data and generate land use maps electronically. Although the process of collecting the data is tedious work, the ease of generating usable maps and map overlays is significant. For example, a water manager could generate a map that shows a river's watershed and major tributaries,

its floodplains and the locations of urban dwellings (homes and businesses) to display areas likely to be impacted by floods. This information is valuable to local governments, planners, realtors, bankers, homeowners and others. This map could also be compared to similar land use maps from 10, 20 or 30 years ago.

One way watershed managers study drainage basins is by measuring streamflow. Determining how much water is discharged by a watershed involves measuring the amount of water (volume) that flows past a certain point over a period of time (velocity). Streamflow is measured in cubic feet per second (cfs) or cubic meters per second (cms).

By measuring the amount of water flowing through a stream channel over a period of years, scientists calculate average streamflow. When streamflow changes significantly from its normal quantities, watershed managers investigate reasons for this anomaly. The amount of water discharged by a watershed is influenced by soil conditions, vegetative coverings and human settlement patterns. Wetlands, forests and prairies capture and store more water than paved roads and parking lots. Consequently, urban areas will have more runoff than areas covered with vegetation.

Water managers carefully assess land use changes and set development policy accordingly. For example, in areas that are susceptible to erosion, incorporating soil conservation measures (e.g., planting cover crops on farmland and establishing grassed waterways) can significantly reduce erosion and stream sediment load. Managers may designate lands so susceptible to erosion that landowners are required to plant vegetation on them. In urban areas, local governments may set aside natural areas to serve as filters for storm-water runoff, based on runoff data and stream water-quality problems. In each situation, using maps to understand past and present land use helps water managers better predict future problems.



CREDIT: Courtesy of U.S. Geological Survey

A 7.5 minute map of Zionsville, Indiana, from the USGS, shows layers of information, including: satellite imagery of the Earth, roads, waterways, elevation and topography.



PHOTO CREDIT: © Photos.com—Getty Images

Maps and GPS (global positioning systems) are used to monitor land use changes.

Procedure

▼ Warm Up

- What did the land and water look like 50 or 100 years ago around cities like Los Angeles, California; Portland, Oregon; Minneapolis, Minnesota; Houston, Texas; Chicago, Illinois; New Orleans, Louisiana; Miami, Florida; New York City, New York; or Washington, D.C? How has growth changed each region?
- Ask students to imagine their community 100 years ago. They may want to refer to old photographs or news stories. Was the school in existence? What happened when water fell on the ground then, compared to now?
- If a body of water is near the school, would its appearance and condition have been altered over the years?
- Tell students that maps can teach us about the past and possibly answer questions such as these.

▼ The Activity

Provide students with copies of *Maps A, B* and *C*. Explain that they represent aerial views of a watershed taken at different times. To simplify map interpretation, the borders of the watershed coincide with the edges of the grid. In addition, the outlines of various land areas (e.g., wetlands, forests) align with grid lines.

Following are three options for interpreting changes in the watershed presented on the maps. The first option may be more appropriate for younger students but can help all students complete **Options 2** and **3**. Students should be able to multiply and calculate percentages to complete the second and third options.

Option 1

1. Tell students to look at *Maps A, B*, and *C*. Explain that they represent changes in this land over a 100-year period. Have students look at the key for each map. Instruct them to designate each land area with a different color (e.g., color all forest areas green). They should use the same color scheme for all maps.
2. When students finish coloring, have them compare the sizes of the different areas on each map and among maps. Ask them to compare plant cover and land use practices in each of these periods. They may note changes in croplands, forests, grasslands, wetlands, urban land uses, etc.
3. Discuss one or more of the following questions:

What happens to the amount of forested land as you go from *Map A* to *Map C*?

Which map has the most land devoted to human settlements?

Where are most of the human settlements located?

What effect might these human settlements have on the watershed?

Would you have handled development differently?

Option 2

1. Have students determine the land area of each map. Each unit in the grid represents 1 square kilometer; there are 360 square kilometers (or 360,000,000 m²) on each map.
2. For each map, have students determine how much area is occupied by each type of land coverage (e.g., forest, wetland and farmland). Responses can be guesses or exact calculations. For example, for *Map A*, 17 of the grid units are occupied by wetlands. By dividing 17 by the total number of units (360), students should calculate that 4.7% of the land area is wetlands. The amount of land allotted to wetlands, forests, etc. will change for each map, but the amount of stream coverage (111 squares or 30.8%) will remain constant. Students should record their answers in the *Area of Land Coverage* chart.

NOTE: Most watershed calculations employ standard measurements: inches and cubic feet per second (cfs). However, to facilitate students' computations, metric measurements are used here.

3. Tell students that the watershed has received 5 cm (0.05 m) of rain. (Although rain does not normally fall evenly over a large area, assume that the 5 cm of rain fell evenly over the entire watershed.) By converting both the rainfall and the land area to meters, students can calculate the amount of water (m³) that fell on the land. 18,000,000 m³ of rain fell on the watershed (0.05 m × 360,000,000 m² = 18,000,000 m³). Of this 18,000,000 m³ of rain, 5,550,000 m³ landed on the stream (111,000,000 m² × 0.05 m = 5,550,000 m³). This might seem like a large quantity of water, but if 5 cm of rain did

ANSWER KEY:
Area of Land Coverage

Land coverage	Map A 100 years ago		Map B 50 years ago		Map C Present	
	km ²	%	km ²	%	km ²	%
Forest	189	52.5	162	45	111	30.8
Grasslands	20	5.6	14	3.9	6	1.7
Wetlands	17	4.7	13	3.6	5	1.4
Residential	13	3.6	33	9.2	58	16.1
Agricultural	10	2.8	27	7.5	69	19.2
Stream	111	30.8	111	30.8	111	30.8

fall evenly on a watershed of this size, the stream would receive this volume of water. (NOTE: 100 cm = 1 m; 1,000,000 m² = 1 km².)

4. Ask students to estimate the amount of water that would be drained from the land into the stream. Tell students that for the watershed represented by Map A, 2,767,500 m³ of rain was runoff (i.e., the water flowed into the stream and did not soak into the ground, did not evaporate and was not used by plants or animals). (Runoff volumes are provided in the *Answer Key* below. In **Option 3**, students can calculate runoff for each land area.)
5. Discuss changes in land coverage represented in Maps A through C. Ask students if they think the amount of runoff would increase or decrease.

6. Tell students that when 12,450,000 m³ of rain fell on the land represented by Map A, 2,767,500 m³ was runoff. For Map B, 3,102,500 m³ was runoff. For the Map C, 4,797,500 m³ was runoff. Discuss the following questions in addition to those listed in Option 1.

Which absorbs more water, concrete or forest (or wetlands or grasslands)?

Which map represents the watershed that is able to capture and store the most water?

What problems could arise if water runs quickly over surface material, rather than moving slowly or soaking in?

How might the water quality of the stream be affected by changes in the watershed?

Option 3

Have students determine how the figures in Option 2 were obtained. In the chart *Volume of Rain and Volume of Runoff*, each land area has been assigned a proportion of the water that is not absorbed or that runs off its surface. Using the information from this chart and from the *Area of Land Coverage* chart, have students calculate the amount of water each land area does not absorb. For example, for the forested land in Map A, $189 \text{ km}^2 \times 1,000,000 \text{ m}^2/\text{km}^2 = 189,000,000 \text{ m}^2$ of land. Multiply this by the amount of rainfall ($189,000,000 \text{ m}^2 \times 0.05 \text{ m} = 9,450,000 \text{ m}^3$). Since 20 percent of the rainfall was runoff, 1,890,000 m³ of water drained into the stream from the forested land ($9,450,000 \text{ m}^3 \times .20$).

NOTE: The figures for percent runoff are based on hypothetical data. To determine how much water is absorbed by surface material, one needs to know soil type and texture, slope, vegetation, intensity of rainfall, etc. In addition, many farms and urban areas practice water conservation measures that help retain water and prevent it from streaming over the surface. The information in the chart is intended only for practice and comparisons.

ANSWER KEY:**Volume of Rain and Volume of Runoff**

Land coverage and % runoff	Map A 100 years ago		Map B 50 years ago		Map C Present	
	volume m ³	runoff m ³	volume m ³	runoff m ³	volume m ³	runoff m ³
Forest 20% runoff	(9.45 x 10 ⁶) 9,450,000	(1.89 x 10 ⁶) 1,890,000	(8.1 x 10 ⁶) 8,100,000	(1.11 x 10 ⁶) 1,110,000	(5.55 x 10 ⁶) 5,550,000	(1.11 x 10 ⁶) 1,110,000
Grasslands 10% runoff	(1.0 x 10 ⁶) 1,000,000	(.1 x 10 ⁶) 100,000	(.7 x 10 ⁶) 700,000	(.07 x 10 ⁶) 70,000	(.3 x 10 ⁶) 300,000	(.03 x 10 ⁶) 30,000
Wetlands 5% runoff	(.85 x 10 ⁶) 850,000	(.425 x 10 ⁶) 42,500	(.65 x 10 ⁶) 650,000	(.0325 x 10 ⁶) 32,500	(.25 x 10 ⁶) 250,000	(.0125 x 10 ⁶) 12,500
Residential 90% runoff	(.65 x 10 ⁶) 650,000	(.585 x 10 ⁶) 585,000	(1.65 x 10 ⁶) 1,650,000	(1.485 x 10 ⁶) 1,485,000	(2.9 x 10 ⁶) 2,900,000	(2.61 x 10 ⁶) 2,610,000
Agricultural 30% runoff	(.5 x 10 ⁶) 500,000	(.15 x 10 ⁶) 150,000	(1.35 x 10 ⁶) 1,350,000	(.405 x 10 ⁶) 405,000	(3.45 x 10 ⁶) 3,450,000	(1.035 x 10 ⁶) 1,035,000
Total runoff		2,767,500		3,102,500		4,797,500
Total runoff plus stream discharge (5,550,000 m³)		(8.32 x 10⁶) 8,317,500		(8.652 x 10⁶) 8,652,500		(10.347 x 10⁶) 10,347,500

▼ Wrap Up

- Have students summarize how changes in the land affect the quantity and quality of runoff in a watershed.
- Discuss land use practices in the community and how they may affect water discharge in the watershed.
- Take students on a walking tour around the school and community, and note areas that contribute to or reduce storm runoff. (For example, parking lots, paved roads and sidewalks promote runoff; parks, wetlands and trees capture water.)

- Students could attend a public meeting in which changes in land use for their community are being discussed.
- If students were to draw a fourth map of the same area 100 years in the future, how would it appear?
- Have students plan a city that contributes positively to a watershed. They should contact city planners or conduct library research to support their projections.

▼ Project WET Reading Corner

Carlsen, William S., Nancy M. Trautmann, and the Environmental Inquiry Team. 2004. *Watershed Dynamics*. Arlington, VA: NSTA Press.

By studying watersheds, students are helped to develop research skills and integrate these in a relevant way.

Desonie, Dana. 2008. *Geosphere*. New York, NY: Chelsea House.

The environmental consequences are examined when man's land use changes natural landscapes into human landscapes.

Dobson, Clive, and Gregor Gilpin Beck. 1999. *Watersheds: A Practical Handbook for Healthy Water*. Toronto, ON: Firefly Books, Inc.

This book introduces the concepts of watersheds and progresses to wetland ecosystems and ecology.

Eales, Philip. 2007. *Map: Satellite*. New York, NY: Dorling Kindersley, Inc.

Gathered together in a single book are satellite images from all over the world showing Arctic ice, ozone depletion, seasonal changes, natural and manmade features.

Edwards, Margaret, Brad Williamson and Irwin Slesnick. 1997. *Deforestation*. Arlington, VA: NSTA Press.

Using aerial photographs and other historical records, examine the loss of forest land in Washington State's Olympic Peninsula.

Silverstein, Alvin, Virginia B. Silverstein and Laura Silverstein Nunn. 2009. *Floods*. Berkeley Heights, NJ: Enslow Publishers, Inc.

This book discusses how a rain storm can turn into a raging flood and how scientists study these storms in an effort to help communities prepare.

Assessment

Have students:

- compare land area occupied by farms, towns and natural areas in a watershed during different time periods (*Options 1 and 2*).
- describe how surface runoff is influenced by changes in land use (*Option 2*).
- calculate quantities of runoff from different land areas in a watershed (*Option 3*).
- design a city plan that regulates urban runoff (*Wrap Up*).

Extensions

Have students explore changes in their own community. Sources of historical and current maps include the Natural Resource Conservation Service, the Bureau of Land Management, the U.S.D.A. Forest Service, the U.S. Geological Survey or a local public works department. Sometimes, libraries contain historical, hand-drawn maps from the 1700s to the 1900s. Resource people in these agencies or the community will also have information and perspectives about past, present and future water use.

Students may want to conduct a more accurate analysis of the degree to which different surface areas are permeable to water. Contact conservation agencies or extension agents in the community to learn how different soil types affect runoff.

Have students research and discuss new ideas related to development and runoff. Examples include permeable pavement, rain gardens, green roofs and bioengineering (e.g., planting vegetation to restore eroding stream banks).

Students can use computer technology to increase their understanding of geographical features through Geographic Information Systems (GIS). An example is ArcView, a computer program that enables learners to investigate GIS files. Information about ArcView and other programs can be obtained via the Internet.

Teacher Resources

Books

Alibrandi, Marsha. 2003. *GIS in the Classroom: Using Geographic Information Systems in Social Studies and Environmental Science*. Portsmouth, NH: Heinemann Publishing.

Carlsen, William S., Nancy M. Trautmann and The Environmental Inquiry Team. 2004. *Watershed Dynamics* (Teacher's Edition). Arlington, VA: National Science Teacher Association.

Some chapters are free downloads from the NSTA resource website: <http://learningcenter.nsta.org/>

Soukhome, Jennifer, Graham Peaslee, Carl Van Faasen and William Statema. 2009. *Watershed Investigations: 12 Labs for High School Science*. Arlington, VA: National Science Teacher Association.

Journals

Eflin, James and Amy L. Sheaffer. 2006. "Service-Learning in Watershed-Based Initiatives: Keys to Education for Sustainability in Geography?" *Journal of Geography*, 105 (1), 33-44.

Eskrootchi, Rogheyeh and Reza G. Oskrochi. 2010. "A Study of the Efficacy of Project-Based Learning Integrated with Computer-Based Simulation—STELLA." *Educational Technology & Society*, 13 (1), 236-245.

Roman, Harry T. 2010. "Developing a Watershed Challenge." *Technology Teacher*, 69 (5), 10-12.

Shepardson, Daniel P., Bryan Wee, Michelle Priddy, Lauren Schellenberger and Jon Harbor. 2007. "What Is a Watershed? Implications of Student Conceptions for Environmental Science Education and the National Science Education Standards." *Science Education*, 91 (4), 554-578.



Name: _____

Date: _____

Chart for Option 2:**Area of Land Coverage**


	Map A 100 years ago		Map B 50 years ago		Map C Present	
Land coverage	km ²	%	km ²	%	km ²	%
Forest						
Grasslands						
Wetlands						
Residential						
Agricultural						
Stream						

Chart for Option 3:**Volume of Rain and Volume of Runoff**

	Map A 100 years ago		Map B 50 years ago		Map C Present	
Land coverage and % runoff	volume m ³	runoff m ³	volume m ³	runoff m ³	volume m ³	runoff m ³
Forest 20% runoff						
Grasslands 10% runoff						
Wetlands 5% runoff						
Residential 90% runoff						
Agricultural 30% runoff						
Total runoff						
Total runoff plus stream discharge (5,550,000 m ³)						



Map A: 100 Years Ago




KEY

	FOREST
	GRASSLANDS
	WETLANDS
	RESIDENTIAL
	AGRICULTURAL
	STREAM



Map B: 50 Years Ago




KEY

	FOREST
	GRASSLANDS
	WETLANDS
	RESIDENTIAL
	AGRICULTURAL
	STREAM



Map C: Present



KEY

	FOREST
	GRASSLANDS
	WETLANDS
	RESIDENTIAL
	AGRICULTURAL
	STREAM

Correlations & Assessment Worksheet by Activity

Activity Name: Color Me A Watershed

Grade Level: 6-8, 9-12

ACTIVITY	National Science Standards 2011	NOAA Standards	ELA CCSS	MATH CCSS	Comments
Warm Up	6-12.CC.1,2	OL.1.g	NA	NA	
Part I	Option 1: 6-12.SEP.4; 6-8.CC.3; 6-12.LS2.C Option 2: 6-12.SEP.4; 6-12.CC.3 Option 3: 6-12.SEP.4; 6-12.CC.3	NA	Option 1: RH.6-12.7; SL.6-12.1 Option 2: RH.6-12.7 Option 3: NA	Option 1: NA Option 2: 6.RP.3c; 5.MD.1; 7.NS.3 Option 3: 7.NS.3; 7.RP.3	
Part II					
Part III					
Wrap Up	6-12.SEP.6; 6-12.CC.3; 6-12.LS2.C	OL.1.g	RST.6-12.2; RH.6-8.7; RI.6-12.2	NA	